



BARGE "GRIFCO 3806"
GRIFCO TRANSPORTATION THREE, LTD
INNAGE TABLE

TANK NO.
1 PORT OR STAR

BARGE SHOULD BE ON EVEN-LEVEL KEEL WHEN GAUGES ARE TAKEN

HULL NO. 4467

Table with columns for height (0 FT. to 15 FT.) and corresponding capacity values. Includes a note: CAPACITIES GIVEN IN BARRELS OF 42 U.S. GALLONS

\* SUMP

PORT REFERENCE GAUGE HEIGHT : 18'-0" (RIM OF 10" DIAMETER STANDPIPE OPPOSITE HINGE)

STAR REFERENCE GAUGE HEIGHT : 17'-11 3/4" (RIM OF 10" DIAMETER STANDPIPE OPPOSITE HINGE)

STRAPPED: 6/15/04

WE CERTIFY ALL MEASUREMENTS AND COMPUTATIONS ARE IN ACCORDANCE WITH APPLICABLE API STANDARDS AND ARE TRUE AND CORRECT TO THE BEST OF OUR KNOWLEDGE.

Inspector signature and Inspectorate America Corporation logo

INSPECTORATE AMERICA CORPORATION



BARGE "GRIFCO 3806"
GRIFCO TRANSPORTATION THREE, LTD

INNAGE TABLE

TANK NO.
2 PORT OR STAR

BARGE SHOULD BE ON EVEN-LEVEL KEEL WHEN GAUGES ARE TAKEN

HULL NO. 4467

Table with columns for tank height (0 FT. to 15 FT.) and rows for gauge measurements. Includes numerical data for each height and gauge position.

CAPACITIES GIVEN IN BARRELS OF 42 U.S. GALLONS

STRAPPED: 6/15/04

\* SUMP

PORT REFERENCE GAUGE HEIGHT: 18'-0" (RIM OF 10" DIAMETER STANDPIPE OPPOSITE HINGE)

STAR REFERENCE GAUGE HEIGHT: 17'-11 3/4" (RIM OF 10" DIAMETER STANDPIPE OPPOSITE HINGE)

WE CERTIFY ALL MEASUREMENTS AND COMPUTATIONS ARE IN ACCORDANCE WITH APPLICABLE API STANDARDS AND ARE TRUE AND CORRECT TO THE BEST OF OUR KNOWLEDGE.

Handwritten signature of Inspector

INSPECTORATE AMERICA CORPORATION



BARGE "GRIFCO 3806"
GRIFCO TRANSPORTATION THREE, LTD
INNAGE TABLE

TANK NO.
3 PORT OR STAR

BARGE SHOULD BE ON EVEN-LEVEL KEEL WHEN GAUGES ARE TAKEN

HULL NO. 4467

Table with 15 columns representing gauge heights from 0 FT. to 15 FT. and multiple rows of capacity data for various tank configurations.

CAPACITIES GIVEN IN BARRELS OF 42 U.S. GALLONS

STRAPPED: 6/15/04

\* SUMP

PORT REFERENCE GAUGE HEIGHT : 17'-11 3/4" (RIM OF 10" DIAMETER STANDPIPE OPPOSITE HINGE)

STAR REFERENCE GAUGE HEIGHT : 18'-0" (RIM OF 10" DIAMETER STANDPIPE OPPOSITE HINGE)

WE CERTIFY ALL MEASUREMENTS AND COMPUTATIONS ARE IN ACCORDANCE WITH APPLICABLE API STANDARDS AND ARE TRUE AND CORRECT TO THE BEST OF OUR KNOWLEDGE.

Signature of Inspector

INSPECTORATE AMERICA CORPORATION



BARGE "GRIFCO 3806"
GRIFCO TRANSPORTATION THREE, LTD
INNAGE TABLE

TANK NO.
4 PORT OR STAR

BARGE SHOULD BE ON EVEN-LEVEL KEEL WHEN GAUGES ARE TAKEN

HULL NO. 4467

Table with columns for height (0 FT. to 15 FT.) and corresponding capacity values in barrels of 42 U.S. gallons. Each row represents a specific height and provides capacity data for multiple gauging points.

CAPACITIES GIVEN IN BARRELS OF 42 U.S. GALLONS

STRAPPED: 6/15/04

\* SUMP

PORT REFERENCE GAUGE HEIGHT: 17'-11 3/4" (RIM OF 10" DIAMETER STANDPIPE OPPOSITE HINGE)

STAR REFERENCE GAUGE HEIGHT: 18'-0" (RIM OF 10" DIAMETER STANDPIPE OPPOSITE HINGE)

WE CERTIFY ALL MEASUREMENTS AND COMPUTATIONS ARE IN ACCORDANCE WITH APPLICABLE API STANDARDS AND ARE TRUE AND CORRECT TO THE BEST OF OUR KNOWLEDGE.

Signature of Inspectorate America Corporation
INSPECTORATE AMERICA CORPORATION

