

CAPACITIES GIVEN IN BARRELS OF 42 U.S. GALLONS

FOR MANUAL GAUGING AT 8" GAUGE HATCH LOCATED NEAR GEOMETRIC CENTER OF TANK

HULL No. 05-2544

Table with columns for IN, 0 FT., IN, 1 FT., IN, 2 FT., IN, 3 FT., IN, 4 FT., IN, 5 FT., IN, 6 FT., IN, 7 FT., IN, 8 FT., IN, 9 FT., IN, 10 FT., IN, 11 FT., IN, 12 FT., IN, 13 FT., IN, 14 FT. and rows for depths from 0 to 11 feet with sub-rows for 1/4, 1/2, and 3/4 increments.

NOTE: GAUGE POINT: TO TOP LIP OF 8" GAUGE HATCH ON 8" DECK PIPE.

NOTE: GAUGE POINT LOCATED NEAR GEOMETRIC CENTER OF TANK - TRIM CORRECTION NOT REQUIRED

REFERENCE GAUGE HEIGHT: 12" 6" PORT

THIS CHART IS CERTIFIED FOR THE ABOVE NAMED TANK ONLY. NO CHANGES OF ANY KIND CAN BE MADE WITHOUT THE WRITTEN CONSENT OF OUR COMPANY.

DATE STRAPPED: 4-22-2008 BY: JF

DATE COMPUTED: 5/5/08 BY: WHF

DATE ISSUED: 5/6/08

INTERTEK - CALEB BRETT

Handwritten signature

GAUGE HEIGHT - PORT: 3' 10 3/4"
 GAUGE HEIGHT - STBD: 3' 10 3/4"

CAPACITIES GIVEN IN WHOLE U.S. GALLONS

IN	0 FT.	IN	0 FT.	IN	1 FT.	IN	1 FT.	IN	2 FT.	IN	2 FT.	IN	3 FT.	IN	3 FT.	IN	4 FT.	IN	4 FT.
0	1	6	1,012	0	2,091	6	3,170	0	4,249	6	5,328	0	6,407	6	7,418	0		6	
1/8	6	1/8	1,034	1/8	2,113	1/8	3,192	1/8	4,271	1/8	5,350	1/8	6,429	1/8	7,424	1/8		1/8	
1/4	13	1/4	1,057	1/4	2,136	1/4	3,215	1/4	4,294	1/4	5,373	1/4	6,452	1/4	7,428	1/4		1/4	
3/8	22	3/8	1,079	3/8	2,158	3/8	3,237	3/8	4,316	3/8	5,395	3/8	6,474	3/8	7,430	3/8		3/8	
1/2	35	1/2	1,102	1/2	2,181	1/2	3,260	1/2	4,339	1/2	5,418	1/2	6,497	1/2	7,431	1/2		1/2	
5/8	51	5/8	1,124	5/8	2,203	5/8	3,282	5/8	4,361	5/8	5,440	5/8	6,519	5/8	7,432	5/8		5/8	
3/4	69	3/4	1,146	3/4	2,226	3/4	3,305	3/4	4,384	3/4	5,463	3/4	6,542	3/4		3/4		3/4	
7/8	90	7/8	1,169	7/8	2,248	7/8	3,327	7/8	4,406	7/8	5,485	7/8	6,564	7/8		7/8		7/8	
1	112	7	1,191	1	2,271	7	3,350	1	4,429	7	5,508	1	6,587	7		1		7	
1/8	135	1/8	1,214	1/8	2,293	1/8	3,372	1/8	4,451	1/8	5,530	1/8	6,609	1/8		1/8		1/8	
1/4	157	1/4	1,236	1/4	2,315	1/4	3,395	1/4	4,474	1/4	5,553	1/4	6,632	1/4		1/4		1/4	
3/8	180	3/8	1,259	3/8	2,338	3/8	3,417	3/8	4,496	3/8	5,575	3/8	6,654	3/8		3/8		3/8	
1/2	202	1/2	1,281	1/2	2,360	1/2	3,439	1/2	4,519	1/2	5,598	1/2	6,677	1/2		1/2		1/2	
5/8	225	5/8	1,304	5/8	2,383	5/8	3,462	5/8	4,541	5/8	5,620	5/8	6,699	5/8		5/8		5/8	
3/4	247	3/4	1,326	3/4	2,405	3/4	3,484	3/4	4,563	3/4	5,643	3/4	6,722	3/4		3/4		3/4	
7/8	270	7/8	1,349	7/8	2,428	7/8	3,507	7/8	4,586	7/8	5,665	7/8	6,744	7/8		7/8		7/8	
2	292	8	1,371	2	2,450	8	3,529	2	4,608	8	5,687	2	6,767	8		2		8	
1/8	315	1/8	1,394	1/8	2,473	1/8	3,552	1/8	4,631	1/8	5,710	1/8	6,789	1/8		1/8		1/8	
1/4	337	1/4	1,416	1/4	2,495	1/4	3,574	1/4	4,653	1/4	5,732	1/4	6,812	1/4		1/4		1/4	
3/8	360	3/8	1,439	3/8	2,518	3/8	3,597	3/8	4,676	3/8	5,755	3/8	6,834	3/8		3/8		3/8	
1/2	382	1/2	1,461	1/2	2,540	1/2	3,619	1/2	4,698	1/2	5,777	1/2	6,856	1/2		1/2		1/2	
5/8	405	5/8	1,484	5/8	2,563	5/8	3,642	5/8	4,721	5/8	5,800	5/8	6,879	5/8		5/8		5/8	
3/4	427	3/4	1,506	3/4	2,585	3/4	3,664	3/4	4,743	3/4	5,822	3/4	6,901	3/4		3/4		3/4	
7/8	450	7/8	1,529	7/8	2,608	7/8	3,687	7/8	4,766	7/8	5,845	7/8	6,924	7/8		7/8		7/8	
3	472	9	1,551	3	2,630	9	3,709	3	4,788	9	5,867	3	6,946	9		3		9	
1/8	495	1/8	1,574	1/8	2,653	1/8	3,732	1/8	4,811	1/8	5,890	1/8	6,969	1/8		1/8		1/8	
1/4	517	1/4	1,596	1/4	2,675	1/4	3,754	1/4	4,833	1/4	5,912	1/4	6,991	1/4		1/4		1/4	
3/8	540	3/8	1,619	3/8	2,698	3/8	3,777	3/8	4,856	3/8	5,935	3/8	7,014	3/8		3/8		3/8	
1/2	562	1/2	1,641	1/2	2,720	1/2	3,799	1/2	4,878	1/2	5,957	1/2	7,036	1/2		1/2		1/2	
5/8	584	5/8	1,664	5/8	2,743	5/8	3,822	5/8	4,901	5/8	5,980	5/8	7,059	5/8		5/8		5/8	
3/4	607	3/4	1,686	3/4	2,765	3/4	3,844	3/4	4,923	3/4	6,002	3/4	7,081	3/4		3/4		3/4	
7/8	629	7/8	1,708	7/8	2,788	7/8	3,867	7/8	4,946	7/8	6,025	7/8	7,104	7/8		7/8		7/8	
4	652	10	1,731	4	2,810	10	3,889	4	4,968	10	6,047	4	7,126	10		4		10	
1/8	674	1/8	1,753	1/8	2,833	1/8	3,912	1/8	4,991	1/8	6,070	1/8	7,149	1/8		1/8		1/8	
1/4	697	1/4	1,776	1/4	2,855	1/4	3,934	1/4	5,013	1/4	6,092	1/4	7,171	1/4		1/4		1/4	
3/8	719	3/8	1,798	3/8	2,877	3/8	3,957	3/8	5,036	3/8	6,115	3/8	7,194	3/8		3/8		3/8	
1/2	742	1/2	1,821	1/2	2,900	1/2	3,979	1/2	5,058	1/2	6,137	1/2	7,216	1/2		1/2		1/2	
5/8	764	5/8	1,843	5/8	2,922	5/8	4,001	5/8	5,081	5/8	6,160	5/8	7,239	5/8		5/8		5/8	
3/4	787	3/4	1,866	3/4	2,945	3/4	4,024	3/4	5,103	3/4	6,182	3/4	7,261	3/4		3/4		3/4	
7/8	809	7/8	1,888	7/8	2,967	7/8	4,046	7/8	5,125	7/8	6,205	7/8	7,284	7/8		7/8		7/8	
5	832	11	1,911	5	2,990	11	4,069	5	5,148	11	6,227	5	7,306	11		5		11	
1/8	854	1/8	1,933	1/8	3,012	1/8	4,091	1/8	5,170	1/8	6,249	1/8	7,327	1/8		1/8		1/8	
1/4	877	1/4	1,956	1/4	3,035	1/4	4,114	1/4	5,193	1/4	6,272	1/4	7,345	1/4		1/4		1/4	
3/8	899	3/8	1,978	3/8	3,057	3/8	4,136	3/8	5,215	3/8	6,294	3/8	7,362	3/8		3/8		3/8	
1/2	922	1/2	2,001	1/2	3,080	1/2	4,159	1/2	5,238	1/2	6,317	1/2	7,377	1/2		1/2		1/2	
5/8	944	5/8	2,023	5/8	3,102	5/8	4,181	5/8	5,260	5/8	6,339	5/8	7,390	5/8		5/8		5/8	
3/4	967	3/4	2,046	3/4	3,125	3/4	4,204	3/4	5,283	3/4	6,362	3/4	7,402	3/4		3/4		3/4	
7/8	989	7/8	2,068	7/8	3,147	7/8	4,226	7/8	5,305	7/8	6,384	7/8	7,411	7/8		7/8		7/8	

THIS CHART IS CERTIFIED FOR THE ABOVE NAMED TANK ONLY. NO CHANGES OF ANY KIND CAN BE MADE WITHOUT THE WRITTEN CONSENT OF OUR COMPANY.

INTERTEK - CALEB BRETT

DATE STRAPPED: 4-22-2008 BY: JF
 DATE COMPUTED: 5/5/08 BY: WHF
 DATE ISSUED: 5/6/08

