



**BARGE "FMT 5026"  
FLORIDA MARINE**

CAPACITIES GIVEN IN BARRELS OF 42 U.S. GALLONS

FOR MANUAL INNAGE GAUGING AT 8" GAUGE HATCH

HULL No. 08-2369

Table with columns for length (0 FT. to 15 FT.) and depth (0, 1/4, 1/2, 3/4). Each cell contains capacity values in barrels. The table is organized into 15 vertical sections, one for each length from 0 to 15 feet. Each section has 5 rows corresponding to depths of 0, 1/4, 1/2, and 3/4 feet. The values generally increase with both length and depth.

NOTE: GAUGE POINT: TOP LIP OF 8" GAUGE HATCH OPPOSITE HINGE  
NOTE: GAUGE POINT LOCATED NEAR GEOMETRIC CENTER OF TANK.  
REFERENCE GAUGE HEIGHT: 12' 3 1/4"

THIS CHART IS CERTIFIED FOR THE ABOVE NAMED TANK ONLY. NO CHANGES  
OF ANY KIND CAN BE MADE WITHOUT THE WRITTEN CONSENT OF OUR COMPANY.

DATE STRAPPED: 3-19-2009 BY:JMF  
DATE COMPUTED: 4/7/09 BY: WHF  
DATE ISSUED: 4/7/09

**INTERTEK - CALEB BRETT**





BARGE "FMT 5026" FLORIDA MARINE

2 STBD INNAGE TABLE

CAPACITIES GIVEN IN BARRELS OF 42 U.S. GALLONS

FOR MANUAL INNAGE GAUGING AT 8" GAUGE HATCH

HULL No. 08-2369

Table with 25 columns (0 FT. to 15 FT.) and 25 rows (0 to 11). Each cell contains capacity values for different gauge heights (0, 1/4, 1/2, 3/4).

NOTE: GAUGE POINT: TOP LIP OF 8" GAUGE HATCH OPPOSITE HINGE. NOTE: GAUGE POINT LOCATED NEAR GEOMETRIC CENTER OF TANK. REFERENCE GAUGE HEIGHT: 12' 3 1/4"

THIS CHART IS CERTIFIED FOR THE ABOVE NAMED TANK ONLY. NO CHANGES OF ANY KIND CAN BE MADE WITHOUT THE WRITTEN CONSENT OF OUR COMPANY.

DATE STRAPPED: 3-19-2009 BY:JMF. DATE COMPUTED: 4/7/09 BY: WHF. DATE ISSUED: 4/7/09

INTERTEK - CALEB BRETT

Handwritten signature



