

CAPACITIES GIVEN IN BARRELS OF 42 U.S. GALLONS

FOR MANUAL INNAGE GAUGING AT 8" GAUGE HATCH

HULL No. 08-2374

Table with columns for height (0 FT. to 15 FT.) and depth (0 to 3/4) for each foot. The table contains numerical values representing capacity in barrels for each combination of height and depth.

NOTE: GAUGE POINT: TOP LIP OF 8" GAUGE HATCH OPPOSITE HINGE

NOTE: GAUGE POINT LOCATED NEAR GEOMETRIC CENTER OF TANK. TRIM CORRECTION NOT REQUIRED

REFERENCE GAUGE HEIGHT: 13' 2 3/4" OPPOSITE HINGE OF 8" HATCH

THIS CHART IS CERTIFIED FOR THE ABOVE NAMED TANK ONLY. NO CHANGES OF ANY KIND CAN BE MADE WITHOUT THE WRITTEN CONSENT OF OUR COMPANY.

DATE STRAPPED: 6-17-2009 BY: JMF DATE COMPUTED: 6-24-09 BY: WHF DATE ISSUED: 6-24-09

INTERTEK - CALEB BRETT



BARGE "FMT 5036"
FLORIDA MARINE

CAPACITIES GIVEN IN BARRELS OF 42 U.S. GALLONS

FOR MANUAL ULLAGE GAUGING AT 8" GAUGE HATCH

HULL No. 08-2374

Main data table with columns for height (IN, 0 FT., 1 FT., 2 FT., 3 FT., 4 FT., 5 FT., 6 FT., 7 FT., 8 FT., 9 FT., 10 FT., 11 FT., 12 FT., 13 FT., 14 FT., 15 FT.) and rows for depth (0, 1/4, 1/2, 3/4) for each height.

NOTE: GAUGE POINT: TOP LIP OF 8" GAUGE HATCH OPPOSITE HINGE

THIS CHART IS CERTIFIED FOR THE ABOVE NAMED TANK ONLY. NO CHANGES OF ANY KIND CAN BE MADE WITHOUT THE WRITTEN CONSENT OF OUR COMPANY.

DATE STRAPPED: 6-17-2009 BY:JMF

DATE COMPUTED: 6-24-09 BY:WHF

DATE ISSUED: 6-24-09

NOTE: GAUGE POINT LOCATED NEAR GEOMETRIC CENTER OF TANK. TRIM CORRECTION NOT REQUIRED

REFERENCE GAUGE HEIGHT: 13' 2 3/4" OPPOSITE HINGE OF 8" HATCH

INTERTEK - CALEB BRETT



BARGE "FMT 5036" FLORIDA MARINE

3 STBD ULLAGE TABLE

CAPACITIES GIVEN IN BARRELS OF 42 U.S. GALLONS

FOR MANUAL ULLAGE GAUGING AT 8" GAUGE HATCH

HULL No. 08-2374

Table with columns for depth (IN, 0 FT., 1 FT., 2 FT., 3 FT., 4 FT., 5 FT., 6 FT., 7 FT., 8 FT., 9 FT., 10 FT., 11 FT., 12 FT., 13 FT., 14 FT., 15 FT.) and rows for ullage levels (0, 1, 2, 3, 4, 5, 6, 7, 8, 9, 10, 11).

NOTE: GAUGE POINT: TOP LIP OF 8" GAUGE HATCH OPPOSITE HINGE

NOTE: GAUGE POINT LOCATED NEAR GEOMETRIC CENTER OF TANK. TRIM CORRECTION NOT REQUIRED

REFERENCE GAUGE HEIGHT: 12' 11 3/4" OPPOSITE HINGE OF 8" HATCH

THIS CHART IS CERTIFIED FOR THE ABOVE NAMED TANK ONLY. NO CHANGES

OF ANY KIND CAN BE MADE WITHOUT THE WRITTEN CONSENT OF OUR COMPANY.

DATE STRAPPED: 6-17-2009 BY:JMF
DATE COMPUTED: 6-24-09 BY:WHF
DATE ISSUED: 6-24-09

INTERTEK - CALEB BRETT



CAPACITIES GIVEN IN BARRELS OF 42 U.S. GALLONS

FOR CLOSED ULLAGE GAUGING AT HERMETIC VALVE

HULL No. 08-2374

Table with columns for height (0 FT. to 15 FT.) and corresponding capacity values in barrels. Includes sub-columns for fractional heights (1/4, 1/2, 3/4) and total height (0, 1, 2, 3, 4, 5, 6, 7, 8, 9, 10, 11).

NOTE: GAUGE POINT: HERMETIC STANDPIPE. NOTE: GAUGE POINT LOCATED NEAR GEOMETRIC CENTER OF TANK. TRIM CORRECTION NOT REQUIRED. REFERENCE GAUGE HEIGHT: 15'-3 1/4". THIS CHART IS CERTIFIED FOR THE ABOVE NAMED TANK ONLY. NO CHANGES OF ANY KIND CAN BE MADE WITHOUT THE WRITTEN CONSENT OF OUR COMPANY. DATE STRAPPED: 6-17-2009 BY:JMF. DATE COMPUTED: 6-24-09 BY:WHF. DATE ISSUED: 6-24-09.



CAPACITIES GIVEN IN BARRELS OF 42 U.S. GALLONS

FOR CLOSED ULLAGE GAUGING AT HERMETIC VALVE

HULL No. 08-2374

Table with columns for depth (0 FT. to 15 FT.) and fractional depths (1/4, 1/2, 3/4) for each integer depth. Each cell contains two numerical values representing capacity in barrels. The table is organized into 16 main sections, one for each integer depth from 0 to 15 feet. The 15-foot section has a red underline under the value 15.28.

NOTE: GAUGE POINT: HERMETIC STANDPIPE
NOTE: GAUGE POINT LOCATED NEAR GEOMETRIC CENTER OF TANK. TRIM CORRECTION NOT REQUIRED
REFERENCE GAUGE HEIGHT: 15'-1 1/4" REFERENCE MARK ON HERMETIC GAUGE TAPE

THIS CHART IS CERTIFIED FOR THE ABOVE NAMED TANK ONLY. NO CHANGES OF ANY KIND CAN BE MADE WITHOUT THE WRITTEN CONSENT OF OUR COMPANY.

DATE STRAPPED: 6-17-2009 BY:JMF
DATE COMPUTED: 6-24-09 BY:WHF
DATE ISSUED: 6-24-09

INTERTEK - CALEB BRETT

Gauge Height - PORT: 3' 10 3/4"
 Gauge Height - STBD: 3' 10 1/2"

CAPACITIES GIVEN IN WHOLE U.S. GALLONS

0 FT.		0 FT.		1 FT.		1 FT.		2 FT.		2 FT.		3 FT.		3 FT.		4 FT.		4 FT.	
IN	0 FT.	IN	0 FT.	IN	1 FT.	IN	1 FT.	IN	2 FT.	IN	2 FT.	IN	3 FT.	IN	3 FT.	IN	4 FT.	IN	4 FT.
0	0	6	1,078	0	2,155	6	3,233	0	4,311	6	5,388	0	6,466	6	7,476	0		6	
1/8	22	1/8	1,100	1/8	2,178	1/8	3,255	1/8	4,333	1/8	5,411	1/8	6,488	1/8	7,482	1/8		1/8	
1/4	45	1/4	1,123	1/4	2,200	1/4	3,278	1/4	4,356	1/4	5,433	1/4	6,511	1/4	7,486	1/4		1/4	
3/8	67	3/8	1,145	3/8	2,223	3/8	3,300	3/8	4,378	3/8	5,456	3/8	6,533	3/8	7,488	3/8		3/8	
1/2	90	1/2	1,167	1/2	2,245	1/2	3,323	1/2	4,400	1/2	5,478	1/2	6,556	1/2	7,488	1/2		1/2	
5/8	112	5/8	1,190	5/8	2,268	5/8	3,345	5/8	4,423	5/8	5,501	5/8	6,578	5/8	7,489	5/8		5/8	
3/4	135	3/4	1,212	3/4	2,290	3/4	3,368	3/4	4,445	3/4	5,523	3/4	6,601	3/4		3/4		3/4	
7/8	157	7/8	1,235	7/8	2,312	7/8	3,390	7/8	4,468	7/8	5,545	7/8	6,623	7/8		7/8		7/8	
1	180	7	1,257	1	2,335	7	3,413	1	4,490	7	5,568	1	6,646	7		1		7	
1/8	202	1/8	1,280	1/8	2,357	1/8	3,435	1/8	4,513	1/8	5,590	1/8	6,668	1/8		1/8		1/8	
1/4	225	1/4	1,302	1/4	2,380	1/4	3,458	1/4	4,535	1/4	5,613	1/4	6,690	1/4		1/4		1/4	
3/8	247	3/8	1,325	3/8	2,402	3/8	3,480	3/8	4,558	3/8	5,635	3/8	6,713	3/8		3/8		3/8	
1/2	269	1/2	1,347	1/2	2,425	1/2	3,502	1/2	4,580	1/2	5,658	1/2	6,735	1/2		1/2		1/2	
5/8	292	5/8	1,370	5/8	2,447	5/8	3,525	5/8	4,603	5/8	5,680	5/8	6,758	5/8		5/8		5/8	
3/4	314	3/4	1,392	3/4	2,470	3/4	3,547	3/4	4,625	3/4	5,703	3/4	6,780	3/4		3/4		3/4	
7/8	337	7/8	1,414	7/8	2,492	7/8	3,570	7/8	4,647	7/8	5,725	7/8	6,803	7/8		7/8		7/8	
2	359	8	1,437	2	2,515	8	3,592	2	4,670	8	5,748	2	6,825	8		2		8	
1/8	382	1/8	1,459	1/8	2,537	1/8	3,615	1/8	4,692	1/8	5,770	1/8	6,848	1/8		1/8		1/8	
1/4	404	1/4	1,482	1/4	2,559	1/4	3,637	1/4	4,715	1/4	5,792	1/4	6,870	1/4		1/4		1/4	
3/8	427	3/8	1,504	3/8	2,582	3/8	3,660	3/8	4,737	3/8	5,815	3/8	6,893	3/8		3/8		3/8	
1/2	449	1/2	1,527	1/2	2,604	1/2	3,682	1/2	4,760	1/2	5,837	1/2	6,915	1/2		1/2		1/2	
5/8	471	5/8	1,549	5/8	2,627	5/8	3,704	5/8	4,782	5/8	5,860	5/8	6,937	5/8		5/8		5/8	
3/4	494	3/4	1,572	3/4	2,649	3/4	3,727	3/4	4,805	3/4	5,882	3/4	6,960	3/4		3/4		3/4	
7/8	516	7/8	1,594	7/8	2,672	7/8	3,749	7/8	4,827	7/8	5,905	7/8	6,982	7/8		7/8		7/8	
3	539	9	1,616	3	2,694	9	3,772	3	4,849	9	5,927	3	7,005	9		3		9	
1/8	561	1/8	1,639	1/8	2,717	1/8	3,794	1/8	4,872	1/8	5,950	1/8	7,027	1/8		1/8		1/8	
1/4	584	1/4	1,661	1/4	2,739	1/4	3,817	1/4	4,894	1/4	5,972	1/4	7,050	1/4		1/4		1/4	
3/8	606	3/8	1,684	3/8	2,762	3/8	3,839	3/8	4,917	3/8	5,995	3/8	7,072	3/8		3/8		3/8	
1/2	629	1/2	1,706	1/2	2,784	1/2	3,862	1/2	4,939	1/2	6,017	1/2	7,095	1/2		1/2		1/2	
5/8	651	5/8	1,729	5/8	2,806	5/8	3,884	5/8	4,962	5/8	6,039	5/8	7,117	5/8		5/8		5/8	
3/4	674	3/4	1,751	3/4	2,829	3/4	3,907	3/4	4,984	3/4	6,062	3/4	7,140	3/4		3/4		3/4	
7/8	696	7/8	1,774	7/8	2,851	7/8	3,929	7/8	5,007	7/8	6,084	7/8	7,162	7/8		7/8		7/8	
4	718	10	1,796	4	2,874	10	3,951	4	5,029	10	6,107	4	7,184	10		4		10	
1/8	741	1/8	1,819	1/8	2,896	1/8	3,974	1/8	5,052	1/8	6,129	1/8	7,207	1/8		1/8		1/8	
1/4	763	1/4	1,841	1/4	2,919	1/4	3,996	1/4	5,074	1/4	6,152	1/4	7,229	1/4		1/4		1/4	
3/8	786	3/8	1,863	3/8	2,941	3/8	4,019	3/8	5,096	3/8	6,174	3/8	7,252	3/8		3/8		3/8	
1/2	808	1/2	1,886	1/2	2,964	1/2	4,041	1/2	5,119	1/2	6,197	1/2	7,274	1/2		1/2		1/2	
5/8	831	5/8	1,908	5/8	2,986	5/8	4,064	5/8	5,141	5/8	6,219	5/8	7,297	5/8		5/8		5/8	
3/4	853	3/4	1,931	3/4	3,008	3/4	4,086	3/4	5,164	3/4	6,241	3/4	7,319	3/4		3/4		3/4	
7/8	876	7/8	1,953	7/8	3,031	7/8	4,109	7/8	5,186	7/8	6,264	7/8	7,342	7/8		7/8		7/8	
5	898	11	1,976	5	3,053	11	4,131	5	5,209	11	6,286	5	7,364	11		5		11	
1/8	921	1/8	1,998	1/8	3,076	1/8	4,153	1/8	5,231	1/8	6,309	1/8	7,385	1/8		1/8		1/8	
1/4	943	1/4	2,021	1/4	3,098	1/4	4,176	1/4	5,254	1/4	6,331	1/4	7,403	1/4		1/4		1/4	
3/8	965	3/8	2,043	3/8	3,121	3/8	4,198	3/8	5,276	3/8	6,354	3/8	7,420	3/8		3/8		3/8	
1/2	988	1/2	2,066	1/2	3,143	1/2	4,221	1/2	5,299	1/2	6,376	1/2	7,435	1/2		1/2		1/2	
5/8	1,010	5/8	2,088	5/8	3,166	5/8	4,243	5/8	5,321	5/8	6,399	5/8	7,448	5/8		5/8		5/8	
3/4	1,033	3/4	2,110	3/4	3,188	3/4	4,266	3/4	5,343	3/4	6,421	3/4	7,459	3/4		3/4		3/4	
7/8	1,055	7/8	2,133	7/8	3,211	7/8	4,288	7/8	5,366	7/8	6,444	7/8	7,469	7/8		7/8		7/8	

THIS CHART IS CERTIFIED FOR THE ABOVE NAMED TANK ONLY. NO CHANGES OF ANY KIND CAN BE MADE WITHOUT THE WRITTEN CONSENT OF OUR COMPANY.

INTERTEK - CALEB BRETT

DATE STRAPPED: 6-17-2009 BY:JMF
 DATE COMPUTED: 6-24-09 BY:WHF
 DATE ISSUED: 6-24-09

