

CAPACITIES GIVEN IN BARRELS OF 42 U.S. GALLONS

FOR MANUAL INNAGE GAUGING AT 8" GAUGE HATCH

HULL No. 08-2376

Main table with columns for depth (0 to 13 FT.) and rows for various gauge heights (0, 1/4, 1/2, 3/4). Each cell contains a numerical value representing capacity in barrels.

NOTE: GAUGE POINT: TOP LIP OF 8" GAUGE HATCH OPPOSITE HINGE
NOTE: GAUGE POINT LOCATED NEAR GEOMETRIC CENTER OF TANK.
REFERENCE GAUGE HEIGHT: 13' 2 1/4" OPPOSITE HINGE OF 8" HATCH

THIS CHART IS CERTIFIED FOR THE ABOVE NAMED TANK ONLY. NO CHANGES OF ANY KIND CAN BE MADE WITHOUT THE WRITTEN CONSENT OF OUR COMPANY.

DATE STRAPPED: 8/10/2009 BY: JMF
DATE COMPUTED: 8/13/09 BY: 8/14/08
DATE ISSUED: 8/14/08

Handwritten signature of Caleb Brett

CAPACITIES GIVEN IN BARRELS OF 42 U.S. GALLONS

FOR MANUAL INNAGE GAUGING AT 8" GAUGE HATCH

HULL No. 08-2376

Table with columns for depth (0, 1/4, 1/2, 3/4) and length (0 to 13 FT) showing capacity values in barrels. Each cell contains a numerical value representing the capacity at that specific point.

NOTE: GAUGE POINT: TOP LIP OF 8" GAUGE HATCH OPPOSITE HINGE
NOTE: GAUGE POINT LOCATED NEAR GEOMETRIC CENTER OF TANK.
REFERENCE GAUGE HEIGHT: 13' 2 1/2" OPPOSITE HINGE OF 8" HATCH

THIS CHART IS CERTIFIED FOR THE ABOVE NAMED TANK ONLY. NO CHANGES OF ANY KIND CAN BE MADE WITHOUT THE WRITTEN CONSENT OF OUR COMPANY.

DATE STRAPPED: 8/10/09 BY:JMF
DATE COMPUTED: 8/13/09 BY:8/14/08
DATE ISSUED: 8/14/08

INTERTEK - CALEB BRETT



GAUGE HEIGHT - PORT: 3' 10 1/2"
 GAUGE HEIGHT - STBD: 3' 10 3/4"

CAPACITIES GIVEN IN WHOLE U.S. GALLONS

IN	0 FT.	IN	0 FT.	IN	1 FT.	IN	1 FT.	IN	2 FT.	IN	2 FT.	IN	3 FT.	IN	3 FT.
0	0	6	1,078	0	2,157	6	3,235	0	4,313	6	5,392	0	6,470	6	7,481
1/8	22	1/8	1,101	1/8	2,179	1/8	3,257	1/8	4,336	1/8	5,414	1/8	6,492	1/8	7,486
1/4	45	1/4	1,123	1/4	2,202	1/4	3,280	1/4	4,358	1/4	5,436	1/4	6,515	1/4	7,490
3/8	67	3/8	1,146	3/8	2,224	3/8	3,302	3/8	4,381	3/8	5,459	3/8	6,537	3/8	7,492
1/2	90	1/2	1,168	1/2	2,246	1/2	3,325	1/2	4,403	1/2	5,481	1/2	6,560	1/2	7,493
5/8	112	5/8	1,191	5/8	2,269	5/8	3,347	5/8	4,426	5/8	5,504	5/8	6,582	5/8	7,494
3/4	135	3/4	1,213	3/4	2,291	3/4	3,370	3/4	4,448	3/4	5,526	3/4	6,605	3/4	7,494
7/8	157	7/8	1,236	7/8	2,314	7/8	3,392	7/8	4,471	7/8	5,549	7/8	6,627	7/8	
1	180	7	1,258	1	2,336	7	3,415	1	4,493	7	5,571	1	6,650	7	
1/8	202	1/8	1,280	1/8	2,359	1/8	3,437	1/8	4,515	1/8	5,594	1/8	6,672	1/8	
1/4	225	1/4	1,303	1/4	2,381	1/4	3,460	1/4	4,538	1/4	5,616	1/4	6,695	1/4	
3/8	247	3/8	1,325	3/8	2,404	3/8	3,482	3/8	4,560	3/8	5,639	3/8	6,717	3/8	
1/2	270	1/2	1,348	1/2	2,426	1/2	3,505	1/2	4,583	1/2	5,661	1/2	6,739	1/2	
5/8	292	5/8	1,370	5/8	2,449	5/8	3,527	5/8	4,605	5/8	5,684	5/8	6,762	5/8	
3/4	315	3/4	1,393	3/4	2,471	3/4	3,549	3/4	4,628	3/4	5,706	3/4	6,784	3/4	
7/8	337	7/8	1,415	7/8	2,494	7/8	3,572	7/8	4,650	7/8	5,729	7/8	6,807	7/8	
2	359	8	1,438	2	2,516	8	3,594	2	4,673	8	5,751	2	6,829	8	
1/8	382	1/8	1,460	1/8	2,539	1/8	3,617	1/8	4,695	1/8	5,773	1/8	6,852	1/8	
1/4	404	1/4	1,483	1/4	2,561	1/4	3,639	1/4	4,718	1/4	5,796	1/4	6,874	1/4	
3/8	427	3/8	1,505	3/8	2,583	3/8	3,662	3/8	4,740	3/8	5,818	3/8	6,897	3/8	
1/2	449	1/2	1,528	1/2	2,606	1/2	3,684	1/2	4,763	1/2	5,841	1/2	6,919	1/2	
5/8	472	5/8	1,550	5/8	2,628	5/8	3,707	5/8	4,785	5/8	5,863	5/8	6,942	5/8	
3/4	494	3/4	1,573	3/4	2,651	3/4	3,729	3/4	4,807	3/4	5,886	3/4	6,964	3/4	
7/8	517	7/8	1,595	7/8	2,673	7/8	3,752	7/8	4,830	7/8	5,908	7/8	6,987	7/8	
3	539	9	1,617	3	2,696	9	3,774	3	4,852	9	5,931	3	7,009	9	
1/8	562	1/8	1,640	1/8	2,718	1/8	3,797	1/8	4,875	1/8	5,953	1/8	7,031	1/8	
1/4	584	1/4	1,662	1/4	2,741	1/4	3,819	1/4	4,897	1/4	5,976	1/4	7,054	1/4	
3/8	607	3/8	1,685	3/8	2,763	3/8	3,841	3/8	4,920	3/8	5,998	3/8	7,076	3/8	
1/2	629	1/2	1,707	1/2	2,786	1/2	3,864	1/2	4,942	1/2	6,021	1/2	7,099	1/2	
5/8	651	5/8	1,730	5/8	2,808	5/8	3,886	5/8	4,965	5/8	6,043	5/8	7,121	5/8	
3/4	674	3/4	1,752	3/4	2,831	3/4	3,909	3/4	4,987	3/4	6,066	3/4	7,144	3/4	
7/8	696	7/8	1,775	7/8	2,853	7/8	3,931	7/8	5,010	7/8	6,088	7/8	7,166	7/8	
4	719	10	1,797	4	2,875	10	3,954	4	5,032	10	6,110	4	7,189	10	
1/8	741	1/8	1,820	1/8	2,898	1/8	3,976	1/8	5,055	1/8	6,133	1/8	7,211	1/8	
1/4	764	1/4	1,842	1/4	2,920	1/4	3,999	1/4	5,077	1/4	6,155	1/4	7,234	1/4	
3/8	786	3/8	1,865	3/8	2,943	3/8	4,021	3/8	5,100	3/8	6,178	3/8	7,256	3/8	
1/2	809	1/2	1,887	1/2	2,965	1/2	4,044	1/2	5,122	1/2	6,200	1/2	7,279	1/2	
5/8	831	5/8	1,910	5/8	2,988	5/8	4,066	5/8	5,144	5/8	6,223	5/8	7,301	5/8	
3/4	854	3/4	1,932	3/4	3,010	3/4	4,089	3/4	5,167	3/4	6,245	3/4	7,324	3/4	
7/8	876	7/8	1,954	7/8	3,033	7/8	4,111	7/8	5,189	7/8	6,268	7/8	7,346	7/8	
5	899	11	1,977	5	3,055	11	4,134	5	5,212	11	6,290	5	7,368	11	
1/8	921	1/8	1,999	1/8	3,078	1/8	4,156	1/8	5,234	1/8	6,313	1/8	7,389	1/8	
1/4	944	1/4	2,022	1/4	3,100	1/4	4,178	1/4	5,257	1/4	6,335	1/4	7,408	1/4	
3/8	966	3/8	2,044	3/8	3,123	3/8	4,201	3/8	5,279	3/8	6,358	3/8	7,425	3/8	
1/2	988	1/2	2,067	1/2	3,145	1/2	4,223	1/2	5,302	1/2	6,380	1/2	7,440	1/2	
5/8	1,011	5/8	2,089	5/8	3,168	5/8	4,246	5/8	5,324	5/8	6,402	5/8	7,453	5/8	
3/4	1,033	3/4	2,112	3/4	3,190	3/4	4,268	3/4	5,347	3/4	6,425	3/4	7,464	3/4	
7/8	1,056	7/8	2,134	7/8	3,212	7/8	4,291	7/8	5,369	7/8	6,447	7/8	7,473	7/8	

THIS CHART IS CERTIFIED FOR THE ABOVE NAMED TANK ONLY. NO CHANGES OF ANY KIND CAN BE MADE WITHOUT THE WRITTEN CONSENT OF OUR COMPANY.

INTERTEK - CALEB BRETT

DATE STRAPPED: 8-10-2009 BY:JMF
 DATE COMPUTED: 8-13-2009 BY:WHF
 DATE ISSUED: 8-14-2009

